

Diebold Election Systems, Inc

Georgia Request for Proposal

Voting System Configuration

Qty	Description
18,424	AccuVote-TS Ballot Station including: <ul style="list-style-type: none">- Windows CE- 128mb PCMCIA Card- Printer- Internal Battery- Voting Booth Enclosure
2,803	AccuVote-TS VIBS Kits
8,394	SmartCard Encoder
92,120	SmartCards
5,596	Manager Cards
2,798	PCMCIA Modem Cards
400	AccuVote-OS Tabulators
350	Ballot Boxes
50	AccuFeed Units
	GEMS Application Software License
160	Central Server Systems

Other items included in this proposal include:

- Project Management Team
- Precinct Surveys
- Pre-election Diagnostic Testing
- Logic and Accuracy Testing
- Voter Outreach
- Equipment Acceptance Program
- Shipping and Insurance



ELECTION SYSTEMS

GEMS Server Configuration Large County

Base Unit:	Dell PowerEdge 4400 Base, 933MHz with 256K Cache,P3 Xeon
Processor:	2nd Processor,933MHz/256K,P3, Xeon,for Dell PowerEdge 4400
Memory:	1GB SDRAM,133MHz,2X512MB,DIMMSfor Dell PowerEdge 4400, Factory Install
Keyboard:	QuietKey Keyboard,104 Key, Gray,6 Pin,Factory Install
Monitor:	21in (19.8VIS), P1130, MonitorMidnight Gray
Hard Drive:	4X18GB 10000RPM,1.0 IN,U3,HardDrives,for Dell PowerEdge 4400
Hard Drive Controller:	PERC3-Di RAID Enabler Kit with128MB Cache,for Dell PowerEdge4400,Factory Install
Floppy Disk Drive:	1.44MB,3.5",Floppy Drive, for Dell PowerEdge Servers, Factory Install
Operating System:	NT Server 4.0, MS
Operating System:	Dell OpenManage Kit,32-Bit
Mouse:	Logitech System Mouse,Gray, Servers
NIC:	Intel Pro 100 Plus,Network Interface Card
TBU:	Tape Backup,20/40G, Digital Audio Tape,HH, Controller/Cable,P4300, Factory Install
CD-ROM or DVD-ROM Drive:	CD R/W Drive, PXW1210TS/SW, Plextor
Speakers:	8-Bay Split 2 X 4 Hard Drive Cage,1 inch Only,for Dell PowerEdge 4400/6400,Factory Install
Documentation Diskette:	Electronic Documentation on CD
Option 1:	Configuration #5,ROMB 5/No Drives in Cage,for Dell PowerEdge 4400,Factory Install
Option 2:	Tower Option, Rubber Feet for Dell PowerEdge 4300/4400/6300,Factory Install
Service:	Type 3 Contract - Next Business Day Parts & Labor On-Site Response 2YR Extended
Service:	Type 3 Contract - Next Business Day Parts & Labor On-Site Response Initial Year
Misc:	Power Supply,Redundant Option/Shipping Information,for Dell PowerEdge 4400,Factory Install

Other Hardware:

Soundcard, SB 5.1, Creative Lab
Report Printer, Laser, HP5000
Portserver, 32 port, Digi
32ea. Modems, 33.6 Sportster, US Robotics
Ethernet Hub, 24 port, 1/100 BT, 3 Com
24ea. Ethernet PCMCIA Card
UPS, 1500 VA, SUA1500, APC

Other Software:
Acrobat 5.0, Adobe
Winzip, Nico



GEMS Server Configuration Medium County

Other Hardware:

Soundcard, SB 5.1, Creative Lab
 Report Printer, Laser, HP 5000
 16ea. Modems, 33.6 Sportster, US Robotics
 Ethernet Hub, 16 port, 10/100 BT, 3 Com
 16ea. Ethernet PCMCIA Card
 Digiboard, 16 port, Digi
 UPS, 1500 VA, SUA1500, APC

Other Software:

Acrobat 5.0, Adobe

Base Unit:	Dell PowerEdge 4400 Base, 933MHz with 256K Cache,P3 Xeon
Processor:	2nd Processor,933MHz/256K,P3, Xeon,for Dell PowerEdge 4400
Memory:	1GB SDRAM,133MHz,2X512MB,DIMMSfor Dell PowerEdge 4400, Factory Install
Keyboard:	QuietKey Keyboard,104 Key, Gray,6 Pin,Factory Install
Monitor:	21in (19.8VIS), P1130, MonitorMidnight Gray
Hard Drive:	4X18GB 10000RPM,1.0 IN,U3,HardDrives,for Dell PowerEdge 4400
Hard Drive Controller:	PERC3-Di RAID Enabler Kit with128MB Cache,for Dell PowerEdge4400,Factory Install
Floppy Disk Drive:	1.44MB,3.5",Floppy Drive, for Dell PowerEdge Servers, Factory Install
Operating System:	NT Server 4.0, MS
Operating System:	Dell OpenManage Kit,32-Bit
Mouse:	Logitech System Mouse,Gray, Servers
NIC:	Intel Pro 100 Plus,Network Interface Card
TBU:	Tape Backup,20/40G, Digital Audio Tape,HH, Controller/Cable,P4300, Factory Install
CD-ROM or DVD-ROM Drive:	CD R/W Drive, PXW1210TS/SW, Plextor
Speakers:	8-Bay Split 2 X 4 Hard Drive Cage,1 inch Only,for Dell PowerEdge 4400/6400,Factory Install
Documentation Diskette:	Electronic Documentation on CD
Option 1:	Configuration #5,ROMB 5/No Drives in Cage,for Dell PowerEdge 4400,Factory Install
Option 2:	Tower Option, Rubber Feet for Dell PowerEdge 4300/4400/6300,Factory Install
Service:	Type 3 Contract - Next Business Day Parts & Labor On-Site Response 2YR Extended
Service:	Type 3 Contract - Next Business Day Parts & Labor On-Site Response Initial Year
Misc:	Power Supply,Redundant Option/Shipping Information,for Dell PowerEdge 4400,Factory Install

GEMS Server Configuration Small County

Base Unit:	PowerEdge 500SC 1.13GHz/512K, Pentium III Tualatin
Memory:	1GB SDRAM,4X256MB DIMMS,for PowerEdge 500SC
Keyboard:	QuietKey Keyboard,104 Key, Gray,6 Pin,Factory Install
Monitor:	21in (19.8VIS), P1130, Monitor Midnight Gray
Hard Drive:	Hard Drive,20GB,IDE,F3,LP,IBM
Floppy Disk Drive:	3.5 in,1.44MB Floppy Drive,forPowerEdge 500SC
Operating System:	NT Server 4.0, MS
Operating System:	Dell OpenManage Kit,32-Bit
Mouse:	Logitech System Mouse,Gray, Servers
NIC:	On-Board NIC
TBU:	Internal PowerVault 100T DDS4 Drive and Controller Card for Dell PowerEdge 300
CD-ROM or DVD-ROM Drive:	CD R/W Drive, PXW1210TS/SW, Plextor
Documentation Diskette:	Electronic Documentation on CD
Option 1:	Hard Drive Configuration #1, MotherBoard IDE,for PowerEdge 500SC
Service:	Type 3 Contract - Next Business Day Parts and Labor On-Site Response, Initial Year
Service:	Type 3 Contract - Next Business Day Parts and Labor On-Site Response 2YR Extended

Other Hardware:

Soundcard, SB 5.1, Creative Lab
 Report Printer, Laser, HP 5000
 Digiboard, 8 port, Digi
 8ea. Modems, 33.6 Sportster, US Robotics
 Ethernet Hub, 8 Port, 10/100 BT, 3 Com
 8ea. Ethernet PCMCIA Card

UPS, 700 VA, SUA700, APC

Other Software:

Acrobat 5.0, Adobe

Winzip, Nico